

**SAFETY DATA SHEET****502832 POLYSANTOL®**

Revision Date: 02-18-2015

Page 1 of 11

Version # 01

Print Date: 11-23-2015

**1. IDENTIFICATION**

<b>Product Description:</b>	<b>POLYSANTOL®</b>
<b>CAS #</b>	107898-54-4
<b>Other means of identification</b>	
<b>Vigon Item #</b>	502832
<b>Recommended use</b>	Concentrated aromatic ingredient which may be used fragrance compounds according to legal and IFRA guidelines.
<b>Recommended restrictions</b>	For Manufacturing Use Only
<b>Company</b>	<b>24 Hour Emergency Response Information</b>
Vigon International, Inc.	INFOTRAC (ACCT# 78928);
127 Airport Road	1-800-535-5053 WITHIN THE U.S.A.
E. Stroudsburg, PA 18301	1-352-323-3500 OUTSIDE THE U.S.A.
For information call: 570-476-6300	
Web Site: www.vigon.com	

**2. HAZARD(S) IDENTIFICATION**

<b>Physical hazards</b>	Not classified.	
<b>Health hazards</b>	Acute toxicity, dermal	Category 5
	Skin corrosion/irritation	Category 2
<b>Environmental hazards</b>	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

**Label elements**

<b>Signal word</b>	Warning
<b>Hazard statement</b>	
H313	May be harmful in contact with skin.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	
P264	Wash thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves.
<b>Response</b>	
P302 + P352	IF ON SKIN: Wash with plenty of water.



## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 2 of 11

Version # 01

Print Date: 11-23-2015

P312 Call a POISON CENTER/doctor if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal**  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Chemical name	Common name and synonyms	CAS number	%
(E)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol	3,3- dimethyl-5(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol trimethyl cyclopentenyl dimethyl isopentenol	107898-54-4	100

### 4. FIRST-AID MEASURES

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.

**Skin contact** Take off immediately all contaminated clothing. Get medical attention if irritation develops and persists. Wash skin thoroughly with soap and water for several minutes.

**Eye contact** Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists. Promptly wash eyes with plenty of water while lifting the eye lids.

**Ingestion** Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

**Most important symptoms/effects, acute and delayed** Skin irritation. May cause redness and pain.

**Indication of immediate medical attention and special treatment needed** Not available.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media** Water spray, fog, CO<sub>2</sub>, dry chemical, or alcohol resistant foam.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

**Specific hazards arising from the chemical** Fire may produce irritating, corrosive and/or toxic gases.



## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 3 of 11

Version # 01

Print Date: 11-23-2015

**Special protective equipment and precautions for firefighters**

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

**Fire fighting equipment/instructions**

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

**Specific methods**

Use water spray to cool unopened containers.

**General fire hazards**

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

---

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

**Methods and materials for containment and cleaning up**

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Do not allow material to contaminate ground water system. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

**Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid release to the environment. Retain and dispose of contaminated wash water. Contact local authorities in case of spillage to drain/aquatic environment.

---

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

**Conditions for safe storage, including any incompatibilities**

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational exposure limits**

No exposure limits noted for ingredient(s).



## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 4 of 11

Version # 01

Print Date: 11-23-2015

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Use explosion-proof ventilation equipment to stay below exposure limits.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Chemical resistant gloves.
<b>Other</b>	Not available.
<b>Respiratory protection</b>	Respiratory protection not required. If ventilation is insufficient, suitable respiratory protection must be provided.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Refer to Spec Sheet
<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Color</b>	Refer to Spec Sheet
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 200.0 °F (> 93.3 °C) Closed Cup
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	< 0.1 mm Hg at 20 °C
<b>Vapor density</b>	7.7
<b>Relative density</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble



## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 5 of 11

Version # 01

Print Date: 11-23-2015

<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	568.4 °F (298 °C)
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Flammability class</b>	Combustible IIIB estimated
<b>Molecular formula</b>	C15H26O
<b>Molecular weight</b>	222.37 g/mol
<b>Specific gravity</b>	0.9 at 25 °C

#### 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products if stored and handled as indicated.

#### 11. TOXICOLOGICAL INFORMATION

##### Information on likely routes of exposure

<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	May be harmful in contact with skin. Causes skin irritation.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation. Causes mild eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Skin irritation. May cause redness and pain.

##### Information on toxicological effects

**Acute toxicity** May be harmful in contact with skin.

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
(E)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (CAS 107898-54-4)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Rat	> 5000 mg/kg

\* Estimates for product may be based on additional component data not shown.

## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 6 of 11

Version # 01

Print Date: 11-23-2015

<b>Skin corrosion/irritation</b>	Causes skin irritation. Irritation (dermal, rabbit)(OECD 404): Non irritant @ 10% Irritation (dermal, rabbit)(OECD 404): Irritant @ 100% Irritation (dermal)(HRIPT): Non irritant @ 4%
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation. Irritation (ocular, rabbit)(OECD 405): Non irritant @ 10% Irritation (ocular, rabbit)(OECD 405): Non irritant @ 100%
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	Sensitization (OECD 406: GPMT): Non sensitizing Sensitization (LLNA)(OECD 429): EC3 > 20% Sensitization (HRIPT): non sensitizing @ 4% Sensitization (HRIPT): not sensitizing in 107 subjects at 20% in 75% diethyl phthalate/25% ethanol Photo-toxicity (HRIPT): No effects @ 4% Photo-allergenicity (HRIPT): No effects @ 4%
<b>Germ cell mutagenicity</b>	Mutagenicity (OECD 471): non mutagenic Mutagenicity (OECD 473): non clastogenic
<b>Carcinogenicity</b>	
<b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b>	
Not listed.	
<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not an aspiration hazard.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product	Species		Test Results
(E)-3,3-dimethyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)-4-penten-2-ol (CAS 107898-54-4)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Algae	0.62 mg/l, 72 hours
Crustacea	EC50	Daphnia	1 mg/l, 48 hours
Fish	LC50	Fish	1.2 mg/l, 96 hours
Other	EC50	Activated Sludge	9 mg/l, 3 hours

\* Estimates for product may be based on additional component data not shown.

<b>Persistence and degradability</b>	Ready biodegradability (OECD 301 C): 7%
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.

## SAFETY DATA SHEET

502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 7 of 11

Version # 01

Print Date: 11-23-2015

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. DISPOSAL CONSIDERATIONS

**Disposal instructions** Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** Not established.

**Waste from residues / unused products** Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. TRANSPORT INFORMATION

#### ADN

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 ((E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol)  
**Transport hazard class(es)** 9  
**Subsidiary class(es)** -  
**Packing group** III  
**Environmental hazards** Yes  
**Labels required** 9

#### ADR

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 ((E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol)  
**Transport hazard class(es)** 9  
**Subsidiary class(es)** -  
**Packing group** III  
**Environmental hazards** Yes  
**Labels required** 9

#### RID

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 ((E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol)  
**Transport hazard class(es)** 9  
**Subsidiary class(es)** -  
**Packing group** III  
**Environmental hazards** Yes  
**Labels required** 9

## SAFETY DATA SHEET

502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 8 of 11

Version # 01

Print Date: 11-23-2015

## DOT

## BULK

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol)
Hazard class	9
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Packaging exceptions	155
Packaging bulk	241
Labels required	9

## DOT

## NON-BULK

Not regulated as dangerous goods.

## IATA

Not regulated as dangerous goods.

## IMDG

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((E)-3,3-dimethyl-5-(2,2,3-trimethyl -3-cyclopenten-1-yl)-4-penten-2-ol)
Transport hazard class(es)	9
Subsidiary class(es)	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Labels required	9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

ADN; ADR; DOT BULK; IMDG; RID





## SAFETY DATA SHEET

### 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 9 of 11

Version # 01

Print Date: 11-23-2015

Marine pollutant



## 15. REGULATORY INFORMATION

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**  
Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**  
Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.



# SAFETY DATA SHEET

## 502832 POLYSANTOL®

Revision Date: 02-18-2015

Page 10 of 11

Version # 01

Print Date: 11-23-2015

### US state regulations

#### US. Massachusetts RTK - Substance List

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date	11-23-2015
Revision date	02-18-2015
Version #	01
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0



## SAFETY DATA SHEET

### 502832 POLYSANTOL®

---

Revision Date: 02-18-2015

Page 11 of 11

Version # 01

Print Date: 11-23-2015

---

#### **Disclaimer**

Vigon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a guarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.